


D2432F BEARPAW




G D2432-3 BEARPAW

PRELIMINARY PG1  
12.05.02 (AP)

PG1	UPDATE DRAWING FORMAT, REMOVED D2432B, ADD D2432-3, ADDED DIMENSION 7.52 (D1-2)		AP	12.05.02
F	CHANGE C'BORE, ADD B AND F P/N		-	98.05.12
E	CHANGE C'BORE DEPTH, BORE RADIUS		-	97.02.27
D	MOVE SLOT		-	96.06.04
C	CHANGE BORE AND C'BORE DEPTH		-	96.03.26
B	RE-DESIGN		-	96.01.24
A	NEW ISSUE		-	95.10.31
REV.	DESCRIPTION		BY	DATE
DESIGN	LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AP			
CHECKED	ASS	DRAWING NO.		REV. PG1
MFG. APPR.	glt	D2432		SHEET 1 OF 3
APPROVED	AP	TITLE		SCALE
DE APPR.		BEARPAW		NTS
DATE	12.05.02	COPYRIGHT © 1995 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.		





**NOTES:**

- 1) MATERIAL: UHMW BLACK TIVAR 1000 VIRGIN MATERIAL, 1.000 THICK MACHINED TO 0.950 (REF DART SPEC. MUHMWB10)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: ENGRAVE PART NUMBER "D2432-3" AND BATCH NUMBER "BXXXXX" IN ACCORDANCE WITH QSI 044 METHOD 6.3
- 7) WEIGHT: 6.25 lbs
- 8) ENGRAVE DART LOGO TO MAX DEPTH OF 0.012
- 9) APPLY 0.06 x 45° CHAMFER TO ALL EDGES ON SIDE SHOWN UNLESS OTHERWISE INDICATED
- 10) PROFILE PER DRAWING FILE "D2432-3-REVG.STP"

DESIGN	LE	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	ASS	DRAWING NO.	REV. PG1
MFG. APPR.	2/1	<b>D2432</b>	SHEET 3 OF 3
APPROVED	1/10	TITLE	SCALE
DE APPR.		<b>BEARPAW</b>	NTS
DATE	12.05.02	COPYRIGHT © 1995 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	